

**Trade name:** edding Ink (black) contained in: edding 1200, edding 1300, edding 1340

**Current version :** 3.0.0, issued: 23.03.2016

**Replaced version:** 2.0.0, issued: 11.03.2016

**Region:** GB

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

**Trade name**

**edding Ink (black) contained in: edding 1200, edding 1300, edding 1340**

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

**Relevant identified uses of the substance or mixture**

Ink for use in drawliners

**Uses advised against**

No data available.

### 1.3 Details of the supplier of the safety data sheet

**Address**

edding International GmbH

Bookkoppel 7

D-22926 Ahrensburg

Telephone no. +49 (0) 41 02 / 80 8-0

**Information provided by / telephone**

+49 (0)4102 - 808-0

**Advice on Safety Data Sheet**

sdb\_info@umco.de

### 1.4 Emergency telephone number

For medical advice (in German and English):

+49 (0)30 30686 790 (Giftnotruf Berlin)

## SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture

**Classification information**

This product does not meet the classification and labelling criteria given in the Regulation (EC) No 1272/2008 (CLP).

### 2.2 Label elements

Not relevant

### 2.3 Other hazards

No data available.

## SECTION 3: Composition/information on ingredients

### 3.1 Substances

Not applicable. The product is not a substance.

### 3.2 Mixtures

**Chemical characterization**

Mixture (preparation)

**Hazardous ingredients**

This product does not contain substances to be mentioned according to EU Regulation No 1907/2006 (REACH), annex II.

### 3.3 Other information

The data subject of this Material Safety Data sheet refer to the ink contained in this product (marker).

**Trade name:** edding Ink (black) contained in: edding 1200, edding 1300, edding 1340

**Current version :** 3.0.0, issued: 23.03.2016

**Replaced version:** 2.0.0, issued: 11.03.2016

**Region:** GB

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

#### General information

In case of persisting adverse effects, consult a physician. Remove contaminated clothing and shoes immediately, and launder thoroughly before reusing.

#### After inhalation

Ensure supply of fresh air.

#### After skin contact

Wash off immediately with soap and water.

#### After eye contact

Remove contact lenses. Rinse eye thoroughly under running water keeping eyelids wide open and protecting the unaffected eye (at least 10 to 15 minutes). Seek medical assistance.

#### After ingestion

Rinse mouth thoroughly with water. Call a doctor immediately. Never give anything by mouth to an unconscious person.

### 4.2 Most important symptoms and effects, both acute and delayed

No data available.

### 4.3 Indication of any immediate medical attention and special treatment needed

No data available.

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

#### Suitable extinguishing media

Extinguishing measures to suit surroundings.

#### Unsuitable extinguishing media

No data available.

### 5.2 Special hazards arising from the substance or mixture

In the event of fire, the following can be released: Carbon monoxide (CO); Carbon dioxide (CO<sub>2</sub>)

### 5.3 Advice for firefighters

Use self-contained breathing apparatus. Wear protective clothing.

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

#### For non-emergency personnel

Refer to protective measures listed in sections 7 and 8. Avoid contact with skin, eyes and clothing.

#### For emergency responders

No data available. Personal protective equipment (PPE) - see Section 8.

### 6.2 Environmental precautions

Do not discharge into the drains/surface waters/groundwater. Do not discharge into the subsoil/soil.

### 6.3 Methods and material for containment and cleaning up

Take up with absorbent material (e.g., sand, kieselguhr, universal binder). When picked up, treat material as prescribed under heading "Disposal considerations".

### 6.4 Reference to other sections

No data available.

**Trade name:** edding Ink (black) contained in: edding 1200, edding 1300, edding 1340

**Current version :** 3.0.0, issued: 23.03.2016

**Replaced version:** 2.0.0, issued: 11.03.2016

**Region:** GB

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

#### Advice on safe handling

Provide good ventilation of working area (local exhaust ventilation, if necessary). Observe the usual precautions for handling chemicals.

#### General protective and hygiene measures

Do not eat, drink or smoke during work time. Keep away from foodstuffs and beverages. Avoid contact with eyes and skin. Remove soiled or soaked clothing immediately. Wash hands before breaks and after work.

#### Advice on protection against fire and explosion

No special measures necessary.

### 7.2 Conditions for safe storage, including any incompatibilities

#### Technical measures and storage conditions

Keep container tightly closed and dry in a cool, well-ventilated place.

#### Requirements for storage rooms and vessels

Store product in closed containers.

#### Advice on storage assembly

None known

### 7.3 Specific end use(s)

No data available.

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

No parameters available for monitoring.

### 8.2 Exposure controls

#### Appropriate engineering controls

No data available.

#### Personal protective equipment

##### Respiratory protection

If workplace exposure limits are exceeded, a respiration protection approved for this particular job must be worn. In case of aerosol and mist formation, take appropriate measures for breathing protection in the event workplace threshold values are not specified.

##### Eye / face protection

Safety glasses (EN 166)

##### Hand protection

In case of intensive contact, wear protective gloves (EN 374). Before use, the protective gloves should be tested in any case for its specific work-station suitability (i.e. mechanical resistance, product compatibility and antistatic properties). Adhere to the manufacturer's instructions and information relating to the use, storage, care and replacement of protective gloves. Protective gloves shall be replaced immediately when physically damaged or worn. Design operations thus to avoid permanent use of protective gloves.

##### Other

Normal chemical work clothing.

##### Environmental exposure controls

No data available.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

| Form/Colour |
|-------------|
| liquid      |
| black       |

**Trade name:** edding Ink (black) contained in: edding 1200, edding 1300, edding 1340

**Current version :** 3.0.0, issued: 23.03.2016

**Replaced version:** 2.0.0, issued: 11.03.2016

**Region:** GB

|  |                              |                   |
|--|------------------------------|-------------------|
| <b>Odour</b>                                     |                              |                   |
| characteristic                                   |                              |                   |
| <b>Odour threshold</b>                           |                              |                   |
| No data available                                |                              |                   |
| <b>pH value</b>                                  |                              |                   |
| Value  | 7                            |                   |
| Reference temperature                            | 20                           | °C                |
| <b>Boiling point / boiling range</b>             |                              |                   |
| Value  | 90                           | °C                |
| <b>Melting point / melting range</b>             |                              |                   |
| No data available                                |                              |                   |
| <b>Decomposition point / decomposition range</b> |                              |                   |
| No data available                                |                              |                   |
| <b>Flash point</b>                               |                              |                   |
| Value  | 165                          | °C                |
| <b>Ignition temperature</b>                      |                              |                   |
| Value  | 355                          | °C                |
| <b>Auto-ignition temperature</b>                 |                              |                   |
| Remarks  | Product is not selfigniting. |                   |
| <b>Oxidising properties</b>                      |                              |                   |
| No data available                                |                              |                   |
| <b>Explosive properties</b>                      |                              |                   |
| No data available                                |                              |                   |
| <b>Flammability (solid, gas)</b>                 |                              |                   |
| No data available                                |                              |                   |
| <b>Lower flammability or explosive limits</b>    |                              |                   |
| Value  | 0.9                          | % vol             |
| <b>Upper flammability or explosive limits</b>    |                              |                   |
| Value  | 9.2                          | % vol             |
| <b>Vapour pressure</b>                           |                              |                   |
| Value  | 23                           | hPa               |
| <b>Vapour density</b>                            |                              |                   |
| No data available                                |                              |                   |
| <b>Evaporation rate</b>                          |                              |                   |
| No data available                                |                              |                   |
| <b>Relative density</b>                          |                              |                   |
| No data available                                |                              |                   |
| <b>Density</b>                                   |                              |                   |
| Value  | 1.05                         | g/cm <sup>3</sup> |
| Reference temperature                            | 20                           | °C                |
| <b>Solubility in water</b>                       |                              |                   |
| Remarks  | Completely miscible          |                   |

**Trade name:** edding Ink (black) contained in: edding 1200, edding 1300, edding 1340

**Current version :** 3.0.0, issued: 23.03.2016

**Replaced version:** 2.0.0, issued: 11.03.2016

**Region:** GB

| <b>Solubility(ies)</b> |  |
|------------------------|--|
| No data available      |  |

| <b>Partition coefficient: n-octanol/water</b> |  |
|---|--|
| No data available                             |  |

| <b>Viscosity</b>      |           |
|-----------------------|-----------|
| Value                 | 4.6 mPa*s |
| Reference temperature | 20 °C     |
| Type                  | dynamic   |

## 9.2 Other information

| <b>Other information</b> |  |
|--------------------------|--|
| No data available.       |  |

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

No data available.

### 10.2 Chemical stability

Stable under recommended storage and handling conditions (See section 7).

### 10.3 Possibility of hazardous reactions

No data available.

### 10.4 Conditions to avoid

No data available.

### 10.5 Incompatible materials

None known.

### 10.6 Hazardous decomposition products

No hazardous decomposition products known.

**Trade name:** edding Ink (black) contained in: edding 1200, edding 1300, edding 1340

**Current version :** 3.0.0, issued: 23.03.2016

**Replaced version:** 2.0.0, issued: 11.03.2016

**Region:** GB

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

|  |
|--|
| <b>Acute oral toxicity</b>               |
| No data available                        |
| <b>Acute dermal toxicity</b>             |
| No data available                        |
| <b>Acute inhalational toxicity</b>       |
| No data available                        |
| <b>Skin corrosion/irritation</b>         |
| No data available                        |
| <b>Serious eye damage/irritation</b>     |
| No data available                        |
| <b>Respiratory or skin sensitisation</b> |
| No data available                        |
| <b>Germ cell mutagenicity</b>            |
| No data available                        |
| <b>Reproduction toxicity</b>             |
| No data available                        |
| <b>Carcinogenicity</b>                   |
| No data available                        |
| <b>STOT-single exposure</b>              |
| No data available                        |
| <b>STOT-repeated exposure</b>            |
| No data available                        |
| <b>Aspiration hazard</b>                 |
| No data available                        |

**Trade name:** edding Ink (black) contained in: edding 1200, edding 1300, edding 1340

**Current version :** 3.0.0, issued: 23.03.2016

**Replaced version:** 2.0.0, issued: 11.03.2016

**Region:** GB

## SECTION 12: Ecological information

### 12.1 Toxicity

|                                      |
|--------------------------------------|
| <b>Toxicity to fish (acute)</b>      |
| No data available                    |
| <b>Toxicity to fish (chronic)</b>    |
| No data available                    |
| <b>Toxicity to Daphnia (acute)</b>   |
| No data available                    |
| <b>Toxicity to Daphnia (chronic)</b> |
| No data available                    |
| <b>Toxicity to algae (acute)</b>     |
| No data available                    |
| <b>Toxicity to algae (chronic)</b>   |
| No data available                    |
| <b>Bacteria toxicity</b>             |
| No data available                    |

### 12.2 Persistence and degradability

No data available.

### 12.3 Bioaccumulative potential

No data available.

### 12.4 Mobility in soil

No data available.

### 12.5 Results of PBT and vPvB assessment

No data available.

### 12.6 Other adverse effects

No data available.

### 12.7 Other information

|  |
|--|
| <b>Other information</b>                                   |
| Do not discharge product unmonitored into the environment. |

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

#### Product

Allocation of a waste code number, according to the European Waste Catalogue, should be carried out in agreement with the regional waste disposal company.

#### Packaging

Residuals must be removed from packaging and when emptied completely disposed of in accordance with the regulations for waste removal. Incompletely emptied packaging must be disposed of in the form of disposal specified by the regional disposer.

**Trade name:** edding Ink (black) contained in: edding 1200, edding 1300, edding 1340

**Current version :** 3.0.0, issued: 23.03.2016

**Replaced version:** 2.0.0, issued: 11.03.2016

**Region:** GB

## SECTION 14: Transport information

### 14.1 Transport ADR/RID/ADN

The product is not subject to ADR/RID/ADN regulations.

### 14.2 Transport IMDG

The product is not subject to IMDG regulations.

### 14.3 Transport ICAO-TI / IATA

The product is not subject to ICAO-TI / IATA regulations.

### 14.4 Other information

No data available.

### 14.5 Environmental hazards

Information on environmental hazards, if relevant, please see 14.1 - 14.3.

### 14.6 Special precautions for user

No data available.

### 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not relevant

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

#### EU regulations

#### **Regulation (EC) No 1907/2006 (REACH) Annex XIV (List of substances subject to authorisation)**

According to the data available and/or specifications supplied by upstream suppliers, this product does not contain any substances considered as substances requiring authorisation as listed on Annex XIV of the REACH regulation (EC) 1907/2006.

#### **REACH candidate list of substances of very high concern (SVHC) for authorisation**

According to available data and the information provided by preliminary suppliers, the product does not contain substances that are considered substances meeting the criteria for inclusion in annex XIV (List of Substances Subject to Authorisation) as laid down in Article 57 and article 59 of REACH (EC) 1907/2006.

#### **Regulation (EC) No 1907/2006 (REACH) Annex XVII: RESTRICTIONS ON THE MANUFACTURE, PLACING ON THE MARKET AND USE OF CERTAIN DANGEROUS SUBSTANCES, PREPARATIONS AND ARTICLES**

According to the data available and/or specifications supplied by upstream suppliers, this product does not contain any substances requiring authorisation as listed on Annex XIV of the REACH regulation (EC) 1907/2006.

#### **Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances**

This product is not subject to Part 1 or 2 of Annex I.

### 15.2 Chemical safety assessment

For this mixture a chemical safety assessment has not been carried out.

## SECTION 16: Other information

#### **Sources of key data used to compile the data sheet:**

Regulation (EC) No 1907/2006 (REACH), 1272/2008 (CLP) as amended in each case.

EC Directives 2000/39/EC, 2006/15/EC, 2009/161/EU

National Threshold Limit Values of the corresponding countries as amended in each case.

Transport regulations according to ADR, RID, IMDG, IATA as amended in each case.

The data sources used to determine physical, toxic and ecotoxic data, are indicated directly in the corresponding chapter.

#### **Department issuing safety data sheet**

UMCO Umwelt Consult GmbH

Georg-Wilhelm-Str. 183 , D-21107 Hamburg

Tel.: +49 40 / 79 02 36 300 Fax: +49 40 / 79 02 36 357 e-mail: umco@umco.de



---

**Trade name:** edding Ink (black) contained in: edding 1200, edding 1300, edding 1340

**Current version :** 3.0.0, issued: 23.03.2016

**Replaced version:** 2.0.0, issued: 11.03.2016

**Region:** GB

---

This information is based on our present knowledge and experience.  
The safety data sheet describes products with a view to safety requirements.  
It does not however, constitute a guarantee for any specific product properties and shall not establish a legally valid contractual relationship.

Document protected by copyright. Alterations or reproductions require the express written permission of UMCO Umwelt Consult GmbH.